



Operational Processing of GRAS Radio Occultation Data at EUMETSAT


C. Marquardt, A. von Engel, E. O'Clérigh, Y. Andres, F. Sancho,
and J.J.W. Wilson



Overview



- POD Setup
- POD Monitoring
- Occultation Monitoring
- Offline Results
- Raw Sampling / Open Loop Tracking States
- Conclusions



POD Setup




- **First pass:**
 - PR only, determine precise orbit
- **Second pass:**
 - PR & CP, estimate clocks using fixed orbit from previous pass
- **Undergoing testing:**
 - One run solving orbit and clocks with PR & CP

POD Monitoring: Orbits




Screenshot of POD Monitoring Website




POD Monitoring: Clocks



Screenshot of
Clocks Monitoring
Website



Occultation Monitoring: Upper atm Bias





Episodes of slow convergence mixed with frequent POD resets caused by external sources...

“Offline” processing




- **PyGras:** measurement reconstruction / level 1a
 - Started as reader for (small parts) of level 0
 - Mostly developed after MetOp launch to aid PPF debugging
 - Now does code and carrier phase reconstruction for all PLL tracking, parts of telemetry, most of instrument corrections, Rinex output,...
 - Will be used to feed CalVal / Offline POD
 - contributed a lot to discovering and solving several PPF bugs
- **Napeos:** Offline batch POD (provided by ESOC), validated with several LEO missions (CHAMP, ERS, Envisat,...)
- **Yaros:** Old level 1b / level 2 processing for CHAMP
 - Geometrical optics retrieval, wave optics (FSI) prototype
 - validated with ~100,000 CHAMP occultations
 - Dry temperature and 1DVar's (ROPP is a partial rewrite)
 - Some diagnostics (noise levels, information content...)

Upper level noise and bias (cont'd)




Penetration into troposphere



Note: NO raw sampling data, just dual/single frequency tracking!

Penetration into the troposphere (cont'd)




Note: There are issues in Yaros with rising occultations and the ionospheric correction in the troposphere!


Nevertheless, RS processing will be a requirement to get lower down (I think)



Raw sampling / open loop Tracking States



Raw sampling / open loop Tracking States



Conclusion



- 5600+ occultations in 9 days, or ~ 600 / per day
 - More occultations than actually expected (500/day) - there is one more GPS satellite than nominal
- Rising occultations and raw sampling worked out of the box
 - Buffer overflow in January because GRAS occasionally tracks 4 satellites in RS at the same time
- GRAS clock is as stable as hoped / specified
 - All results in this presentation based on zero differencing (as initial PPF products), with POD clock estimates used for clock corrections in the excess phase calculations
- So far, there have been no (bad) surprises on the instrument side.